

**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

Sl No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
	<b>PVC INSULATED COPPER WIRES 1.1KV GRADE</b>			
1	PVC Insulated Copper wire 1sq.mm	roll	640	565
2	PVC Insulated Copper wire 1.5sq.mm	roll	1020	1210
3	PVC Insulated Copper wire 2.5sq.mm	roll	1635	1965
4	PVC Insulated Copper wire 4sq.mm	roll	2500	2935
5	PVC Insulated Copper wire 6 sq.mm	roll	3875	4120
6	PVC Insulated Copper wire 10 sq.mm	roll	7520	7045
7	Flexible Wire (1.1kV) Twin-Twisted Copper - PVC insulated & sheathed 1.5sq.mm	roll	750	585
	<b>GLS LAMPS/BULB</b>			
8	GLS Bulb (200Watt)	each	28	26
9	GLS Bulb (100Watt)	each	12	13
10	GLS Bulb (60Watt)	each	12	13
11	GLS Bulb (40Watt)	each	NA	13
	<b>LED BULBS</b>			
12	LED Bulb (6Watt)	each	120	130
13	LED Bulb (8Watt)	each	140	170
14	LED Bulb (10Watt)	each	180	170
15	LED Bulb (12Watt)	each	200	330
16	LED Bulb (15Watt)	each	380	440
17	LED Bulb (20Watt)	each	475	575
	<b>COMPACT FLUORESCENT LAMP(CFL)</b>			
18	CFL 8Watt	each	150	
19	CFL 9Watt	each	150	
20	CFL 11Watt	each	150	
21	CFL 13Watt	each	150	
22	CFL 15Watt	each	165	
23	CFL 18Watt	each	230	
24	CFL 20Watt	each	230	

**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

SI No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
All the materials should be of BSB Approved, 2017				
25	CFL 25Watt	each	290	Not Quoted
26	CFL 32Watt	each	450	
27	CFL 40Watt	each	550	
28	CFL 125Watt	each	750	
29	CFL 185Watt	each	850	
30	CFL special circular shape (24Watt, pin type)	each	NA	
31	CFL circular special shape (32Watt, pin type)	each	NA	
32	CFL circular special shape (24Watt, thread type)	each	NA	
33	CFL circular special shape (32Watt, thread type)	each	NA	Not Quoted
	<b>TUBE FRAME AND ACCESSORIES (CRCA SHEET STEEL)</b>			
34	Strip Rail 18/20 watt (LPF)	Set	345	
35	Decorative box type 18/20 watt LPF)	Set	4000	
36	Mounting channel 18/20 watt (LPF)	Set	4500	
37	Strip Rail 36/40 watt (LPF)	Set	270	
38	Decorative box type 36/40 watt(LPF)	Set	3000	
39	Mounting channel 36/40 watt(LPF)	Set	4500	
40	Mounting box 1x36/40 watt (HPF)	Set	4500	
41	Decorative box type 2x36/40 watt(HPF)	Set	6500	
42	Mounting box 2x36/40 watt (HPF)	Set	6500	
43	Industrial box 1x36/40 watt (HPF)	Set	4000	
44	Mounting box type with prismatic louvere and reflector (HPF)	Set	7500	
45	Mounting box type with opal acrylic difuser 4x18/20 watt(HPF)	Set	12000	
46	Mounting box with mirror optics louvere 2x36/40 watt (HPF)	Set	8500	
47	Newest Style 36W 30x120cm Led Panel 300x1200 Led Ceiling Light Panel Led	Set	8500	
48	Cube 36W LED Driver AC85-265V	Set	NA	
49	AC85-265V Round LED Recessed light(18W)	Set	1890	
50	LED Driver AC85-265V, 18-20W)	Set	3200	
51	LED T8 Tube - 21W Equivalent	Set	545	
	<b>Tube Rod/Fluorescent Lamp</b>			



**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

Sl No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
52	Tube Rod 36 Watt	each	45	44
53	Tube Rod 40Watt	each	45	44
49	Tube Rod 18 Watt	each	45	44
54	Tube Rod 20Watt	each	45	44
	<b>OTHER SPECIAL LIGHTS/WALL BRACKETS</b>			
55	3 Light Maryland pendent, frosted glass, GLS- 3X60W/CFL 3x20Watt (2655 01) white colour	Set	21950	Not Quoted
56	Candelier pendent light fixture with 4-8 light provisions	each	65000	
57	Decorative CFL Striplite for wall/Celing mounting, 1xPL-L-36W	Set	4500	
58	Double wall bracket 200mm, 2x60W	each	4500	
59	Double wall bracket 160mm, 2x60W	each	4500	
60	Double mirror light 610mm, 2x60W	each	4000	975
61	Double mirror light 460mm, 2x60W	each	3500	975
62	Spot light 235mm, reflector dia 130mm, 1x60W	each	7500	490
63	Spot light 245mm, reflector dia 100mm, 1x60W	each	7500	490
64	Structured louvere and reflector, 4x18/20 W, HPF	each	NA	NA
65	LED Wall bracket fitting (20W)	Set	4200	975
66	Square Surface Mounted (600mmx600mm) Acrylic Clean Room Square FTL- 4x18W, -- White powder coated CRCA sheet steel housing Clear, Milky 2mm-3mm Acrylic diffuser fitted in a louver frame complete with slim open type low loss copper	Set	NA	9700
	<b>TABLE LAMP/STAND LAMP</b>			
67	Kerolamp(small/large), Glass frosted 1x60Watt), Cat No. 06AE/06AF (Table lamp)	set	2200	NA
68	Double swivel, shade =black/white, 60 Watt, (cat No. 55BR) (Table lamp)	Set	NA	NA
69	Double swivel, shade =black/white, 100 Watt, Accessory: bead shade (Cat No. 56BR), (Stand lamp)	Set	NA	NA
70	Bulk head light 1x60 watt complete set	Per set	1850	975
71	LED Type bulk head light fitting	Per set	2500	2900
72	Bed switch 6A	each	25	40



**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

SI No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
73	Bell push 6A	each	25	25
74	Bell push 10A with indicator	each	150	75
	<b>CHOKE /BALLAST</b>			
75	Ballast (SON-T, 230V, A.C ) HPF, 70Watt) (E)	each	1550	3600
76	Ballast (SON-T, 230V, A.C ) HPF, 150 Watt) (E)	each	2200	3600
77	Ballast (SON-T, 230V, A.C ) HPF, 250 Watt)	each	2800	3600
78	Ballast (Mercury , 230V, A.C ) HPF, 250 Watt)	each	2800	NA
79	Ballast (Mercury , 230V, A.C ) HPF, 125 Watt)	each	1750	NA
80	Copper wound ballast, 36/40watt	each	195	155
81	Copper wound ballast, 18/20watt	each	150	155
82	Electronic choke, 36/40watt	each	150	220
83	Electronic choke, 18/20watt	each	150	220
84	LED DRIVER ,220V,RGB (50W/50Hz)		2750	NA
85	LED DRIVER CHOKE WATERPROOF POWER SUPPLY AC-90-265V (50W/50Hz)		NA	Not Quoted
86	LED driver ,220V AC,(30W/50Hz)		NA	
87	LED driver ,220V AC,(100W/50Hz)		NA	
	<b>COMPOUND LIGHT POLE</b>			
88	Compound light pole 3.5mtr 4.5mm Thick	each	NA	6500
89	Compounr light pole 5.5mtr 5.4mm Thick	each	NA	7900
	<b>CASING &amp; CAPPING )DPUBLE LOCKING)</b>			
90	Casing & Capping Pipe 12 x 12 mm	piece	35	45
91	Casing & Capping 12 x 10 mm	piece	35	45
92	Casing & Capping 15 x 10 mm	piece	35	45
93	Casing & Capping 20 x 10 mm	piece	50	50
94	Casing & Capping 20 x 12 mm	piece	50	50
95	Casing & Capping 25 x 10 mm	piece	60	55
96	Casing & Capping 32x 10 mm	piece	85	65
97	Casing & Capping 40 x 20 mm	piece	120	65
98	Casing & Capping 50 x 20 mm	piece	NA	NA

**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

SI No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
	<b>CASING &amp; CAPPING ANGLE/CONER/T-JOINT / EXTERNAL &amp; INTERNAL BEND</b>			
99	Casing & Capping Angle/Coner/T-Joint / External & Internal bend 20mm	each	4	5
100	Casing & Capping Angle/Coner/T-Joint / External & Internal bend 25mm	each	5	5
101	Casing & Capping Angle/Coner/T-Joint / External & Internal bend 30mm	each	5	5
102	Casing & Capping Angle/Coner/T-Joint / External & Internal bend 40mm	Each	7	6
103	Casing & Capping Angle/Coner/T-Joint / External & Internal bend 50mm	Each	NA	NA
104	Casing junction box	each	15	15
	<b>PVC GANG BOXES</b>			
105	1 Way	each	25	25
106	2 Way	each	30	30
107	3 Way	each	35	35
108	4 Way	each	40	40
109	5 Way	each	45	45
110	6 Way	each	55	50
111	7 Way	each	NA	Not Quoted
112	8 Way	each	NA	
113	9 Way	each	NA	
114	10 Way	each	NA	
115	11 Way	each	NA	
116	12 Way	each	NA	
	<b>PVC BOXES(MODULAR TYPE)</b>			
117	1 Modular with frame	each	48	96
118	2 Modular with frame	each	48	96
119	3 Modular with frame	each	63	122
120	4 Modular with frame	each	70	138



**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

Sl No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
121	5 Modular with frame	each	NA	NA
122	6 Modular with frame	each	90	188
123	7 Modular with frame	each	NA	NA
124	8 Modular with frame	each	128	250
125	9 Modular with frame	each	NA	250
126	10 Modular with frame	each	NA	NA
127	11 Modular with frame	each	NA	NA
128	12 Modular with frame	each	162	310
	<b>METAL BOXES(MODULAR TYPE)</b>			
129	1 Module	each	48	36
130	2 Module	each	48	36
131	3 Module	each	69	48
132	4 Module	each	83	60
133	5 Module	each	NA	NA
134	6 Module	each	113	80
135	7 Module	each	NA	NA
136	8 Module	each	148	104
137	9 Module	each	NA	104
138	10 Module	each	NA	NA
139	11 Module	each	NA	NA
140	12 Module	each	182	128
	<b>WOODEN BOXES(TEEK)</b>			
136	75x75x38mm	each	NA	Not Quoted
137	100x75x38mm	each	NA	
138	100x100x38mm	each	40	
139	150x100x38mm	each	70	
140	180x150x38mm	each	95	
141	200x100x38mm	each	NA	
142	250x200x38mm	each	150	
143	300x200x38mm	Each	160	

**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

SI No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved, 2017</b>				
144	450x300x38mm	each	230	
	<b>EXTENSION CORD/POWER STRIP</b>			
145	16amps, Multi extension cord (CONA)	each	749	695
146	16amps, Multi extension cord 4-Way strip	each	950	1850
147	16amps, Multi extension cord 5-Way strip	each	NA	1850
148	16amps, Multi extension cord 6-Way strip	each	NA	2250
	<b>WATER HEATING GEYSER</b>			
149	Electric greaser 25ltrs complete set with brackets /Bajaj / Usha/ Racold (Alumium Body)	set	9500	9475
150	Electric Greaser 35 ltrs complete set with brackets Bajaj / Usha / Racold (Alumium Body)	set	13500	11600
151	Electric Greaser 50 ltrs complete set with brackets Bajaj/Usha/Racold(Alumium Body)	set	16000	13860
152	Electric Greaser 100ltrs complete set with brackets Bajaj/Usha/Racold(Alumium Body)	set	24000	24870
	<b>CEILING LIGHT</b>			
153	Special drumlite Globe dia 150mm, 1x60W	each	NA	Not Quoted
154	Special drumlit Globe dia 200mm, 1x60W	each	NA	
155	Special drumlite Globe dia 250mm, 1x60W	each	NA	
156	LED Special drumlite Globe dia 250mm, 20Watt	set	9000	
	<b>EARTHING ACCESSORIES</b>			
157	GI earth plate 300x300x6mm	each	375	285
158	GI earth plate 600x600x6mm	each	950	995
159	Copper earth Plate 600x600x6mm	each	7500	4900
160	Copper earth plate 300x300x6mm	each	2000	2600
161	GI Spike earthing (1.8m)	kg	130	120
162	GI Strip 25x4mm	m	55	190
163	25x4mm copper strip	m	375	NA
164	2.032mm (14SWG) G.I wire	m	10	8
165	2.032mm (14SWG) copper wire	m	28	30
166	Charcoal 25kg/bag	Per Bag	1200	450



**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

Sl No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved, 2017</b>				
167	Salt 30kg/bag	Per Bag	1050	495
	<b>LIGHTING CONDUCTOR/PROTECTION</b>			
167	25mm dia 300mm long copper tube single prong at top	each	NA	Not Quoted
168	25mm dia 900mm long copper tube four prong at top	each	NA	
169	25mm dia 300mm long G.I tube single prong at top	each	NA	
	<b>IGNATERS FOR 70-400W SON &amp; MH LAMPS</b>			
1	Ignaters SON lamp (S.D) upto 5m	each	650	Not Quoted
171	Ignnaters SON/MH lamp (L.D) upto 30m	each	750	
172	Ignaters Super Impossed Ign.	each	1200	
	<b>SWITCHES</b>			
173	6A switch SP 1-way	each	20	17
174	6A switch SP 1-way with indicator (Modular Type)	each	95	NA
175	6A switch SP 2-way	each	30	25
176	16A switch SP 2-way with indicator (Modular Type)	each	NA	Not Quoted
177	16A swieth SP 1-way	each	80	
178	16A swieth SP 1-way with indicator	each	250	
179	16A swieth SP 2-way	each	NA	
	<b>SOCKETS</b>			
180	16A fuse unit	each	NA	
181	2-pin 6A socket outlet	each	25	
182	3-pin, 6A socket outlet, shuttered	each	45	
183	3-pin, 16A socket outlet, shuttered	each	80	
184	3 pin, 6A switch/socket combined, shuttered	each	70	75
185	3/5 pin, 6A switch/socket combined, shuttered	each	70	75
186	3 pin, 16A switch/socket combined, shuttered	each	135	115
187	5/6 pin, 6/16A socket outlet, shuttered	each	135	115
188	5/6 pin, 6/16A socket outlet, with fuse without box (with 4 sided screw provision)	each	170	175
189	5/6 pin, 6/16A socket outlet, with fuse without box (with 2 sided screw provision)	each	170	175



**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

SI No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved, 2017</b>				
190	5/6 pin, 6/16A socket outlet, with fuse & indicator without box ( with 4 sided screw provision)	each	170	175
191	5/6 pin, 6/16A socket outlet, with fuse & indicator without box ( with 2 sided screw provision)	each	170	175
192	5/6 pin, 6/16A socket outlet, shuttered box type	each	150	145
193	3 pin, 16A switch/socket combined, shuttered (Modular Type)	each	390	NA
194	5/6 pin, 6/16A switch/socket combined, shuttered (Modular Type)	each	390	NA
195	5-pin universal socket outlet	each	190	NA
196	3-pin top, 16A	each	65	65
197	Multi plug, 16A	each	95	95
198	3- pin top, 5A	each	40	45
199	TV coaxial socket	each	95	Not Quoted
200	RJ 45 computer socket	each	95	
201	RJ 11 telephone socket	each	95	
202	PVC Angle holder	each	30	
203	PVC Batten holders	each	30	28
204	PVC Pendent holders	each	20	28
205	PVC Square box	each	10	14
206	PVC Ceiling Rose, 2 plate	each	25	15
	<b>VOLTAGE STABILIZER</b>			22
207	Stabilizer 1 KVA	each	3000	Not Quoted
208	Stabilizer 2 KVA	each	5500	
209	Stabilizer 5 KVA	each	14000	
	<b>STARTER HOLDERS</b>			
210	Strip Rail, 18/20 W, LPF	set	345	
211	Strip Rail, 36/40 W, LPF	set	270	
212	Square louvered, 1x60W	set	NA	
213	Starter holders for channel/box type FTL fixtures Lamp holders 36/40 watt FTL	set	NA	
	<b>STREET/COMPOUND LIGHT POLE</b>			
214	Street light MS tubular 8.5m, 151kg	Each	18000	



**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

Sl No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
215	Street light MS tubular 8.5m, 148kg	Each	17750	
216	Street light MS tubular 8.5m, 141kg	Each	17500	
217	Compound light MS tabular 5.5m, 4.5mm thick	each	14500	
218	Compound light MS tabular 3.5m, 4.5mm thick	each	12500	
	<b>STREET LIGHT POLE CAP SINGLE/DOUBLE/TRIPLE</b>			
219	Pole cap with arm bracket 1.1m and outer dia 50/60mm *Single arm)	Each	3000	
220	Pole cap with arm bracket 1.1m and outer dia 50/60mm (Double arm)	Each	3500	
221	Pole cap with arm bracket 1.1m and outer dia 50/60mm (Triple arm)	Each	4500	
	<b>HIGH PRESURE SODIUM /MERCURY VAPOUR/LED FITTINGS</b>			
223	High presure of Sodium vapour lamp complete set 150watt SON-E (SV)	Perset	7500	9500
224	High presure of Sodium vapour lamp complete set 250watt SON-E (SV)	Perset	9500	9500
225	High presure mercury vapour lamp complete set 70watt (ES/BC)	Perset	6000	9500
226	High presure mercury vapour lamp complete set 125watt/ (ES/BC)	Perset	6500	9500
227	High presure mercury vapour lamp complete set 250watt/ (ES/BC)	Perset	9500	11400
228	High presure mercury vapour lamp complete set 400watt/ (ES/BC)	Perset	11000	11800
229	Non-integral cast aluminium floodlight suitable for twin HID lamps upto 400watt	Perset	35000	13500
230	Non-integral cast aluminium floodlight suitable for twin HID lamps upto 2x400watt SON-T MH set	Perset	48000	18300
231	Pressure die-cast aluminium flood light luminaire for tungsten halogen lamp 250watt Halogen	Perset	30000	1575
232	Pressure die-cast aluminium flood light luminaire for tungsten halogen lamp 500Watt Halogen	Perset	NA	825
233	Metal halide lamp (MHDE- 150 W)	Perset	NA	8900
234	Halogen lamps (HAL-220V/150W)	Perset	Not Quoted	NA
235	LED flood light Halogen (10Watt) IP66	Perset	1800	1100
236	LED flood light Halogen (20Watt) IP66	Perset	2000	1800
237	LED flood light Halogen (30Watt) IP66	Perset	2200	2300
238	LED flood light Halogen (50Watt) IP66	Perset	2400	2900
239	LED flood light Halogen (100Watt) IP66	Perset	4500	6800
240	LED Street light fitting (100Watt) IP66/IP65	Perset	7700	11200



**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

Sl No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
241	LED Street light fitting (90Watt) IP66/IP65	Perset	6100	9300
242	LED Street light fitting (80Watt) IP66/IP65	Perset	6100	9300
243	LED Street light fitting (60Watt) IP66/IP65	Perset	4945	5100
244	LED Street light fitting (50Watt) IP66/IP65	Perset	4600	5100
245	LED Street light fitting (40Watt) IP66/IP65	Perset	4200	4400
246	LED Street light fitting (36Watt) IP66/IP65	Perset	4000	4400
	<b>OUT DOOR LAMPS</b>			
247	SON-T 70 W (E)(BC)	each	750	1135
248	SON-T 70 W (I) (BC)	Each	750	950
249	SON-T 150 W (ES)	each	950	750
250	SON-T 250 W (ES)	each	1800	1450
251	SON-T 400 W (ES)	each	2250	1650
252	HPL-N 80 W (BC/ES)	each	NA	NA
253	125watt MVL (ES/BC) Bulb	each	550	475
254	250watt MVL (ES/BC) Bulb	each	1800	975
255	400watt MVL (ES/BC) Bulb	each	2250	1650
256	Metal halide lamp (MHDE- 150 W)	each	NA	950
257	Halogen lamps (HAL-150W)	each	NA	NA
258	Halogen bulb 250watt	each	NA	NA
259	Halogen bulb 500watt	each	95	70
	<b>POST TOP LAMP COMPLETE SETS :</b>			
260	Post top lamp complete set 70Watt SON	set	7500	6900
261	Post top lamp complete set150Watt SON	set	8500	6900
262	Post top lamp complete set 125Watt HPMV	set	8000	6900
263	LED Garden/Gate Light (20Watt)	set	4500	7700
264	LED Garden/Gate Light (15Watt)	set	4300	7700
265	LED Garden/Gate Light (10Watt)	set	4100	7000
	<b>PVC CONDUIT PIPE</b>			
266	Pvc Conduit Pipe 20mm	each	65	48
267	Pvc Conduit Pip 25mm	each	95	68

**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

Sl No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
268	Pvc Conduit Pip 35mm	each	NA	NA
<b>PVC TEE JOINT / ANGLE BEND</b>				
269	Pvc tee joint/angle bend 20mm	each	7	5
270	Pvc tee joint/angle bend 25mm	each	10	6
271	Pvc tee joint/angle bend 35mm	each	NA	NA
<b>PVC JUNCTION BOX ONE WAY</b>				
272	Pvc junction box one way 20mm	each	15	10
273	Pvc junction box one way 25mm	each	18	12
274	Pvc junction box one way 25mm	each	18	NA
<b>PVC JUNCTION BOX TWO WAY</b>				
275	Pvc junction box two way 20mm	each	15	10
276	Pvc junction box one way 25mm	each	18	12
277	Pvc junction box one way 35mm	each	NA	NA
<b>PVC JUNCTION BOX THREE WAY</b>				
278	Pvc junction box three way 20mm	each	15	10
279	Pvc junction box one way 25mm	each	18	12
280	Pvc junction box one way 25mm	each	18	NA
<b>M.S SADDLE /M.S CONDUCT PIPE/M.S ELBOW AND TEE</b>				
281	MS Saddle 20mm	each	2	1
282	MS Saddle 25mm	each	2	2
283	MS Saddle 30mm	each	NA	NA
284	MS conduit Pipe 20mm	each	270	220
285	MS conduit Pipe 25mm	each	325	295
286	MS conduitPipe 32mm	each	650	NA
287	MS Elbow and Tee 20mm	each	40	25
288	MS Elbow and Tee 25mm	each	45	30
289	MS Elbow and Tee 32mm	each	NA	NA
<b>M.S JUNCTION/CIRCULAR BOX</b>				
290	Marshel box with connector for street light 8x6	Per Box	1250	NA
291	1 Way M.S J/C . Box 20mm	each	30	25



**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

Sl No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved, 2017</b>				
292	1 Way M.S J/C . Box 25mm	each	35	30
293	1 Way M.S J/C . Box 32mm	each	85	NA
294	2 Way M.S J/C. Box 20mm	each	30	25
295	2 Way M.S J/C. Box 25mm	each	35	30
296	2 Way M.S J/C. Box 32mm	each	85	NA
297	3 Way M.S J/C . Box 20mm	each	30	25
298	3 Way M.S J/C . Box 25mm	each	35	30
299	3 Way M.S J/C . Box 32mm	each	85	NA
300	4 Way M.S J/C . Box 20mm	each	30	25
301	4 Way M.S J/C . Box 25mm	each	35	30
302	4 Way M.S J/C . Box 32mm	each	85	NA
	<b>Power Cable (1.1kV Grade) Un-armoured Copper</b>			
303	2 Core PVC Copper Conductor Cable 2mm <sup>2</sup>	mtr.	Not Quoted	NA
304	2 Core PVC Copper Conductor Cable 2.5mm <sup>2</sup>	mtr.		85
305	2 Core PVC Copper Conductor Cable 4mm <sup>2</sup>	mtr.		135
306	2 Core PVC Copper Conductor Cable 6mm <sup>2</sup>	mtr.		145
307	2 Core PVC Copper Conductor Cable 10mm <sup>2</sup>	mtr.		195
308	2 Core PVC Copper Conductor Cable 16mm <sup>2</sup>	mtr.		Not Quoted
309	3 Core PVC Copper Conductor Cable 2.5mm <sup>2</sup>	mtr.		
310	3 Core PVC Copper Conductor Cable 4mm <sup>2</sup>	mtr.		
311	3 Core PVC Copper Conductor Cable 6mm <sup>2</sup>	mtr.		
312	3 Core PVC Copper Conductor Cable 10mm <sup>2</sup>	mtr.		
313	3 Core PVC Copper Conductor Cable 16mm <sup>2</sup>	mtr.		
314	3 Core PVC Copper Conductor Cable 25mm <sup>2</sup>	mtr.		
315	4 Core PVC Copper Conductor Cable 4mm <sup>2</sup>	mtr.		
316	4 Core PVC Copper Conductor Cable 6mm <sup>2</sup>	mtr.		
317	4 Core PVC Copper Conductor Cable 10mm <sup>2</sup>	mtr.		
318	4 Core PVC Copper Conductor Cable 16mm <sup>2</sup>	mtr.		
319	4 Core PVC Copper Conductor Cable 25mm <sup>2</sup>	mtr.		
	<b>Power Cable (1.1kV Grade) Armoured Copper</b>			

**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

Sl No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
320	2 Core PVC Copper Conductor Cable 2mm2	mtr.	Not Quoted	Not Quoted
321	2 Core PVC Copper Conductor Cable 2.5mm2	mtr.		
322	2 Core PVC Copper Conductor Cable 4mm2	mtr.		
323	2 Core PVC Copper Conductor Cable 6mm2	mtr.		
324	2 Core PVC Copper Conductor Cable 10mm2	mtr.		
325	2 Core PVC Copper Conductor Cable 16mm2	mtr.		
326	3 Core Pvc Copper Conductor Cable 6mm2	mtr.		
327	3 Core Pvc Copper Conductor Cable 10mm2	mtr.		
328	3 Core Pvc Copper Conductor Cable 16mm2	mtr.		
329	3 Core Pvc Copper Conductor Cable 25mm2	mtr.		
330	4 Core Pvc Copper Conductor Cable 10mm2	mtr.		
331	4 Core Pvc Copper Conductor Cable 16mm2	mtr.		
332	4 Core Pvc Copper Conductor Cable 25mm2	mtr.		
	<b>Power Cable (1.1kV Grade) Aluminium (Unarmoured)</b>			
	<b>2-CORE, Unarmoured</b>			
333	2 Core, 2.5mm2	mtr.	NA	
334	2 Core, 4mm2	mtr.	52	
335	2 Core 6mm2	mtr.	62	
336	2 Core,10mm2	mtr.	69	
337	2 Core,16mm2	mtr.	90	
	<b>3-CORE, Unarmoured</b>			
338	3 Core, 2.5mm2	mtr.	NA	
339	3 Core, 4mm2	mtr.	52	
340	3 Core 6mm2	mtr.	63	
341	3 Core,10mm2	mtr.	80	
342	3 Core,16mm2	mtr.	108	
343	3 Core,25mm2	mtr.	156	
	<b>3.5- CORE, Unarmoured</b>			
344	3.5 Core 25mm2	mtr.	179	
345	3.5 Core 35mm2	mtr.	218	



**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

SI No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
346	3.5 Core 50mm2	mtr.	289	Not Quoted
347	3.5 Core 75mm2	mtr.	400	
348	3.5 Core 95mm2	mtr.	497	
349	3.5 Core 120mm2	mtr.	623	
350	3.5 Core 150mm2	mtr.	752	
351	3.5 Core 225mm2	mtr.	NA	
352	3.5 Core 240mm2	mtr.	1206	
353	3.5Core 300mm2	mtr.	1483	
354	3.5Core 400mm2	mtr.	1870	
355	3.5Core 500mm2	mtr.	2430	
356	3.5Core 630mm2	mtr.	3663	
	<b>4-CORE, Unarmoured</b>			
357	4 Core 2.5mm2	mtr.	NA	
358	4 Core 4mm2	mtr.	62	
359	4 Core 6mm2	mtr.	78	
360	4 Core 10mm2	mtr.	103	
361	4 Core 16mm2	mtr.	140	
362	4 Core 25mm2	mtr.	190	
363	Core 35mm2	mtr.	242	
364	Core 50mm2	mtr.	318	
365	Core 75mm2	mtr.	443	
366	Core 95mm2	mtr.	557	
367	Core 120mm2	mtr.	694	
368	Core 150mm2	mtr.	861	
369	Core 225mm2	mtr.	NA	
370	Core 240mm2	mtr.	1369	
371	Core 300mm2	mtr.	1675	
372	Core 400mm2	mtr.	2113	
373	Core 500mm2	mtr.	2743	
374	Core 600mm2	mtr.	3700	

**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

Sl No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
	<b>Power Cable (1.1kV Grade) Aluminium (Armoured)</b>	mtr		
	<b>2-CORE, Armoured</b>			
375	2 Core, 2.5mm <sup>2</sup>	mtr.	NA	NA
376	2 Core, 4mm <sup>2</sup>	mtr.	80	NA
377	2 Core 6mm <sup>2</sup>	mtr.	93	107
378	2 Core,10mm <sup>2</sup>	mtr.	110	135
379	2 Core,16mm <sup>2</sup>	mtr.	135	159
	<b>3-CORE, Armoured</b>			
380	3 Core, 2.5mm <sup>2</sup>	mtr.	NA	Not Quoted
381	3 Core, 4mm <sup>2</sup>	mtr.	88	
382	3 Core 6mm <sup>2</sup>	mtr.	102	
383	3 Core,10mm <sup>2</sup>	mtr.	129	
384	3 Core,16mm <sup>2</sup>	mtr.	144	
385	3 Core,25mm <sup>2</sup>	mtr.	182	
	<b>3.5- CORE, Armoured</b>			
386	3.5 Core 25mm <sup>2</sup>	mtr.	204	250
387	3.5 Core 35mm <sup>2</sup>	mtr.	247	309
388	3.5 Core 50mm <sup>2</sup>	mtr.	322	399
389	3.5 Core 75mm <sup>2</sup>	mtr.	481	540
390	3.5 Core 95mm <sup>2</sup>	mtr.	528	670
391	3.5 Core 120mm <sup>2</sup>	mtr.	659	839
392	3.5 Core 150mm <sup>2</sup>	mtr.	780	994
393	3.5 Core 225mm <sup>2</sup>	mtr.	NA	Not Quoted
394	3.5 Core 240mm <sup>2</sup>	mtr.	1225	
395	3.5Core 300mm <sup>2</sup>	mtr.	1503	
396	3.5Core 400mm <sup>2</sup>	mtr.	1912	
397	3.5Core 500mm <sup>2</sup>	mtr.	2601	
398	3.5Core 630mm <sup>2</sup>	mtr.	3533	
	<b>4-CORE, Armoured</b>			
399	4 Core 2.5mm <sup>2</sup>	mtr.	NA	



**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

Sl No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
400	4 Core 4mm2	mtr.	100	
401	4 Core 6mm2	mtr.	116	141
402	4 Core 10mm2	mtr.	147	179
403	4 Core 16mm2	mtr.	170	203
404	4 Core 25mm2	mtr.	220	269
405	Core 35mm2	mtr.	275	342
406	Core 50mm2	mtr.	354	439
407	Core 75mm2	mtr.	480	592
408	Core 95mm2	mtr.	586	740
409	Core 120mm2	mtr.	719	915
410	Core 150mm2	mtr.	885	1115
411	Core 225mm2	mtr.	NA	Not Quoted
412	Core 240mm2	mtr.	1404	
413	Core 300mm2	mtr.	1692	
414	Core 400mm2	mtr.	2151	
415	Core 500mm2	mtr.	2918	
416	Core 600mm2	mtr.	3949	
	<b>Single pole MCB</b>			
417	SP MCB 6A	each	160	155
418	SP MCB 10A	each	160	155
419	SP MCB 16A	each	160	155
420	SP MCB 20A	each	160	155
421	SP MCB 32A	each	160	155
	<b>Double pole MCB</b>			
422	DP MCB 16A	each	620	575
423	DP MCB 20A	each	620	575
424	DP MCB 32A	each	620	575
425	DP MCB 40A	each	970	840
426	DP MCB 50A	each	1040	NA
427	DP MCB 63A	each	1040	1035

**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

SI No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
All the materials should be of BSB Approved, 2017				
	<b>TPN MCB</b>			
428	TPN MCB 25A	each	1420	NA
429	TPN MCB 32A	each	1420	1125
430	TPN MCB 40A	each	1947	1450
431	TPN MCB 63A	each	2113	1995
432	TPN MCB 100A	each	7400	Not Quoted
433	TPN MCB 125A	each	7870	
434	TPN MCB 200A	each	NA	
	<b>2 POLE RCCB</b>			
435	16A	each	2550	
436	25A	each	2550	
437	32A	each	2575	
438	40A	each	2575	
439	63A	each	3370	
	<b>4 POLE RCCB</b>			
440	16A	each	NA	3350
441	25A	each	3187	
442	32A	each	3187	
443	40A	each	3200	
444	63A	each	3380	
445	100A	each	5615	NA
	<b>MCCB (Moulded Case Circuit Breaker)</b>			
446	3 pole, 63A, 415V	each	2925	Not Quoted
447	3 pole, 100A, 415V	each	3230	
448	3 pole, 125A, 415V	each	3530	
449	3 pole, 63A, 415V	each	2925	
450	3 pole, 100A, 415V	each	3230	
451	3 pole, 125A, 415V	each	3530	
452	3 pole, 125A, 415V	each	3530	
453	3 pole, 160A, 415V	each	4025	



**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

Sl No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
454	3 pole, 250A, 415V	each	12585	
455	4 pole, 63A, 415V	each	3460	3650
456	4 pole, 100A, 415V	each	3925	3990
457	4 pole, 125A, 415V	each	4270	4600
458	4 pole, 63A, 415V	each	3460	3650
459	4 pole, 100A, 415V	each	3925	Not Quoted
460	4 pole, 125A, 415V	each	4270	
461	4 pole, 125A, 415V	each	4270	
462	4 pole, 160A, 415V	each	6665	
463	4 pole, 250A, 415V	each	16420	
464	4 pole, 250A, 415V	each	16420	
465	4 pole, 400A, 415V	each	21015	
466	4 pole, 630A, 415V	each	24695	
467	4 pole, 800A, 415V	each	33290	
	<b>ELECTRICAL TIMER/POWER CONTACTOR</b>			
468	Power Contactor ,Single pole,32A ,230 volts ,50 hz	each	3000	
469	Power Contactor ,Single pole,40A ,230 volts ,50 hz		3500	
470	Power Contactor, Double pole 40A ,230 volts , 50 hz	each	4000	
471	Power Contactor , Double pole 63A ,230 volts , 50 hz	each	4500	
472	Power Contactor , Three pole 40A ,415 volts , 50 hz	each	6200	
473	Power Contactor , Three pole 63A ,415 volts , 50 hz	each	5500	
474	Power Contactor , Three pole 100A ,415 volts , 50 hz	each	7500	
475	Power Contactor , Three pole 125A ,415 volts , 50 hz	each	8500	
476	Electronic Analog timer switch DP,30mA ,230 Volts AC (7 days /24 hours	each	12000	
477	Electronic Analog timer switch DP,30mA ,230 Volts AC (24hrs /24hrs )	each	12000	
478	Electronic Digital timer switch DP,30mA ,230 Volts AC (24hrs /24hrs )	each	12000	
	<b>BUSBAR (MS BUSBAR CHAMBER WITH COPPER BUSBAR)</b>			
479	2 strip 300mm bar 100A	each	4000	3570
480	4 strip 300mm bar 100A	each	4500	3570
481	4 strip 300mm bar 200A	each	6000	4675

**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

SI No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
482	2 strips, 450mm bar, 100A	each	5000	3570
483	4 strips, 450mm bar, 100A	each	5500	3570
484	4 strips, 450mm bar, 200A	each	6500	4675
485	4 strips, 600mm bar, 100A	each	7500	4995
486	4 strips, 600mm bar, 200A	each	8000	6460
487	4 strips, 600mm bar, 300A	each	8500	8400
	<b>SPN DISTRIBUTION BOX ( SINGLE DOOR )</b>			
488	SPN DB 2 ways	each	120	140
489	SPN DB 4 ways	each	295	345
490	SPN DB 6 ways	each	395	405
491	SPN DB 8 ways	each	350	480
492	SPN DB 12 ways	each	750	640
	<b>SPN DISTRIBUTION BOX ( DOUBLE DOOR )</b>			
493	SPN DB 2 ways	each	450	Not Quoted
494	SPN DB 4 ways	each	800	
495	SPN DB 6 ways	each	1200	
496	SPN DB 8 ways	each	1600	
497	SPN DB 12 ways	each	2400	
	<b>TPN DISTRIBUTION BOX ( SINGLE DOOR ) HORIZONTAL</b>			
498	TPN DB 4 ways	each	2500	1210
499	TPN DB 6 ways	each	3000	1445
500	TPN DB 8 ways	each	3500	1740
501	TPN DB 12 ways	each	4000	2465
	<b>TPN DISTRIBUTION BOX ( DOUBLE DOOR ) HORIZONTAL</b>			
502	TPN D.B. 4 ways	each	3000	
503	TPN D.B 6 ways	each	3500	
504	TPN D.B 8 ways	each	4000	
505	TPN D.B 12 ways	each	4500	
	<b>TPN DISTRIBUTION BOX ( SINGLE DOOR )VERTICAL</b>			
506	TPN D.B 4 ways	each	2500	



**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

Sl No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved, 2017</b>				
507	TPN D.B 6 ways	each	3000	Not Quoted
508	TPN D.B 8 ways	each	3500	
509	TPN D.B 12 ways	each	4000	
	<b>TPN DISTRIBUTION BOX ( DOUBLE DOOR ) VERTICAL</b>			
510	TPN D.B 4 ways	each	3000	
511	TPN D.B 6 ways	each	3500	
512	TPN D.B 8 ways	each	4000	
513	TPN D.B 12 ways	each	4500	
	<b>CEILING FANS</b>			
514	Ceiling Fan 1400 rpm, 900mm sweep	each	2500	
515	Ceiling Fan 1400 rpm, 1200mm sweep	each	1450	1375
516	Ceiling Fan 1400 rpm, 1400mm sweep	each	2200	NA
	<b>EXHAUST FAN 240 Volt A.C</b>			
517	Exhaust Fan 900 rpm, 300mm sweep	each	2500	1750
518	Exhaust Fan 900 rpm, 380mm sweep	each	3500	Not Quoted
519	Exhaust Fan 900 rpm, 450mm sweep	each	9000	
520	Exhaust Fan 1400 rpm, 300mm sweep	each	2800	
521	Exhaust Fan 1400 rpm, 380mm sweep	each	4500	
522	Exhaust Fan 1400 rpm, 450mm sweep	each	9500	
	<b>TABLE FANS</b>			
523	Table Fan 250mm sweep with aluminium blade.B/H	each	2200	1895
524	Table Fan 250mm sweep with Plastic blade.B/H/	each	2200	1895
	<b>WOODEN SCREWS</b>			
525	Wooden Screw 20mm	pkts	70	45
526	Wooden Screw 25mm	pkts	75	55
527	Wooden Screw 30mm	pkts	80	55
528	Wooden Screw 35mm	pkts	85	55
529	Wooden Screw 45mm	pkts	90	85
530	Machine screw 20mm	pkts	120	45
	<b>ELECTRICAL TOOLS</b>			

**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

SI No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
531	Wooden drill bit 4 / 6 / 8 / 10mm	each	40,50,70,85	45,65,75,120
532	MS sheet drill bit 4 / 6 / 8 / 10mm	each	40,50,70,85	45,65,75,120
533	Concrete drill bit 4 / 6 / 8 / 10mm.	each	30,45,65,75	45,65,75,120
534	Combination plier (Taparia)	each	295	220
535	Side cutting plier (Taparia)	each	295	220
536	Wire striping plier (Taparia)	each	275	175
537	Long Nose plier 6"-10" (Taparia)	each	285	220
538	Heavy duty screw driver set	each	650	195
539	Neon lamp tester	each	50	45
540	Screw driver set	set	290	190
541	Soldering rod	each	NA	380
542	Soldering lead	set	550	450
543	Digital Multimeter	each	2500	NA
544	Digital clamp multimeter	each	3500	NA
545	0.7" LCD Multifunction Digital Voltage Tester	each	5000	NA
546	Drilling machine Kits (Heavy duty) Bosch	each	15000	11500
547	Drilling machine (Light duty) Bosch 13mm	each	6500	4600
548	Electrical insulation rubber hand gloves (360mm length)	set	650	330
549	Popular safety hard hat( white, red, yellow, blue, orange)	set	225	145
550	Electrical safety climbing rope(belt type)	set	2250	1150
551	Cable jointing kits 6sq.mm to 50sq.mm	each	1800	3600
552	Sharpening stone 6"	set	235	220
553	Chisel 1"	each	250	175
554	Round file (Large size)	each	295	NA
555	Flat file (Large size)	each	275	225
556	Haksaw blade (Double teeth)	each	25	12
557	Haksaw blade (Single teeth)	each	15	4
558	Haksaw frame	each	140	145
559	Panel pin	each	90	65
560	Cassing/capping pin	each	25	35



**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

SI No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
561	Bakelite sheet 12"x10"	each	65	NA
562	Bakelite sheet 8"x6"	each	40	35
563	Bakelite sheet 4"x6"	each	30	25
564	Bakelite sheet 3"x4"	each	25	NA
565	Bakelite sheet 3"x3"	each	20	NA
566	PVC Insulation tap	each	12	11
567	Hydraulic Crimping Tool Kit 16 Ton Wire & Cable Crimper(10sq.mm to 400sq.mm)	set	35000	26000
<b>LADDERS AND OTHER ACCESSORIES</b>				
568	Indoor double step ladder 6ft long (Aluminum)	each	12000	4900
569	Out door extension ladder 24ft long (Aluminum)	each	24000	24600
570	Indoor double step ladder 6ft-9ft long self supported type (Aluminum)	each	18000	5900
<b>LUX / THIMBLE FOR FOLLOWING WIRE SIZES</b>				
571	Lux/Thimble 2.5mm <sup>2</sup>	each	5	NA
572	Lux/Thimble 4mm <sup>2</sup>	each	5	NA
573	Lux/Thimble 6mm <sup>2</sup>	each	5	5
574	Lux/Thimble 10mm <sup>2</sup>	each	5	6
575	Lux/Thimble 16mm <sup>2</sup>	each	8	7
576	Lux/Thimble 25mm <sup>2</sup>	each	10	10
577	Lux/Thimble 35mm <sup>2</sup>	each	15	12
578	Lux/Thimble 50mm <sup>2</sup>	each	20	15
579	Lux/Thimble 70mm <sup>2</sup>	each	30	20
580	Lux/Thimble 95mm <sup>2</sup>	each	35	25
581	Lux/Thimble 120mm <sup>2</sup>	each	60	25
582	Lux/Thimble 150mm <sup>2</sup>	each	65	30
583	Lux/Thimble 300mm <sup>2</sup>	each	95	85
584	Lux/Thimble 400mm <sup>2</sup>	each	150	145
<b>RADIATOR/ROOM HEATER</b>				
585	Radiator Heater/oil filled -Radiators, Made in Italy 9 Pannel Specification (220/230Voltage 50/60 Hz,2500w	each	3200	3100

**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

Sl No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
<b>All the materials should be of BSB Approved,2017</b>				
586	Radiator Heater/oil filled -Radiators, Made in Italy 10 Pannel Brand Scarlite - <u>Specification</u> - (220/230Voltage 50/60 Hz,2500w		NA	3640
587	Radiator Heater/oil filled -Radiators, Made in Italy 11 Pannel <u>Specification</u> - (220/230Voltage 50/60 Hz,2500w	each	3700	3640
588	Radiator Heater/oil filled -Radiators, Made in Italy 12 Pannel. <u>Specification</u> -(220/230Voltage 50/60 Hz,2500w	each	NA	3900
589	Radiator Heater/oil filled -Radiators, Made in Italy 13 Pannel (220/230Voltage 50/60 Hz,2500w	each	4200	3900
590	Radiator Heater 9 Pannel - Brand Scarlite England.-2 Heating Element - Adjustable Thermostate -220V - 240V/50Hz - 2000W+500W(Fan)	each	NA	Not Quoted
591	Radiator Heater 11 Pannel - Brand Scarlite England.- <u>Specification</u> - 2 Heating Element - Adjustable Thermostate -220V - 240V/50Hz - 2000W+500W(Fan)	each	NA	
592	Radiator Heater 12 Pannel - Brand Scarlite England.- <u>Specification</u> - 2 Heating Element - Adjustable Thermostate -220V - 240V/50Hz - 2000W+500W(Fan)	each	NA	
593	Radiator Heater 13 Pannel - Brand Scarlite England. <u>Specification</u> - 2 Heating Element - Adjustable Thermostate -220V - 240V/50Hz - 2000W+500W(Fan)	each	NA	
595	Wall Heater <u>Specification</u> : (F117-Atlantic Comfort Room Heater), 2000Watt, 95mm Depth, 740mm Width, 450mm Height and 6.2Kg in Weight.	each	18500	
596	Wall Heater <u>Specification</u> : (F118-Atlantic Comfort Room Heater), 2000Watt, 98mm Depth, 754mm Width, 451mm Height and 6.2Kg in Weight.		18500	
597	Blower Heater <u>Specification</u> : Adjustable Thermostat (1000-2000Watt) Double safety with automatic thermal safety cutout. (Model Name/No: Majesty RX8, Fan type)	each	NA	
	<b>CABLE REEL</b>			
598	Cable Reel with 4-way, 16A Socket (30m)	each	9500	
599	Cable Reel - 4-way, 16A Socket (50m)		15000	
600	Cable Reel - 4-way, 16A Socket (100m)	set	NA	



**COMPARATIVE STATEMENT OF ELECTRICAL ITEMS FOR THE FINANCIAL YEAR 2018-2019**

Sl No.	Description of items	Unit	Nedup Enterprise, Thimphu	Neware Hardware, Thimphu
All the materials should be of BSB Approved, 2017				
601	Transistor battery (9 Volt) chargeable	set	NA	
602	Transistor battery charger	set	NA	
603	RGB LED Flood Light 50W RGB IR remote control	each	NA	
604	RGB LED Flood Light 30W RGB IR remote control	set	NA	
605	RGB LED Flood Light 20W RGB IR remote control	set	NA	
606	RGB LED Flood Light 10W RGB IR remote control	set	NA	
607	LED Flood Light-Slim Series (200W IP66) and Metal halide HPI-T	set	NA	
608	Metal halide HPI-T	each	NA	

*DfC decided to award to lowest evaluated bidder (ie apart individual items) & inlined with Tender terms & conditions.*

*[Signature]*  
2.09.20

*[Signature]*

*[Signature]*  
*[Signature]*

*[Signature]*

*[Signature]*